

SPECIFICATIONS

Power Input: 12 VAC/DC 40VA UL Listed Transformer (12 VAC is supplied by Pach & Company) or 12 VDC Power Supply (not supplied, power supply output voltage must be 13.5-14.5 VDC).

Current Consumption: 350 mA Idle, 475 mA operation.

Communication: RS-485 up to 4000 feet.

Night Light: Yellow LED Indicator/Green LED Indicator

Valid/Invalid Access: Green/Red or Yellow/Red and Buzzer

Operating Environment: Temp. 0° - 140° F

Relative Humidity: 0% to 95%.

Relay Output: From C Dry Contact 120 Vac 10A/ 24 VDC 10 A/ 250 Vac 7A.

Mounting: Surface

Support 4-Digit Code


Construction: 16 Gauge Cold Rolled Steel with Brushed Stainless Steel Faceplate.

Dimension: 6 6-1/8" (H) x 7-1/16" (W), 1-1/2" (D)

Shipping Weight: 5 Lbs.

OPERATIONS

System's ID number set by the DIP Switch



DIP SWITCH 123456 is satellite ID number (6 additional ID, not implemented yet)

DIP SWITCH 78 is Not applicable if the USCR purchased before September 2012 otherwise see table below


| S1 DIP SWITCH SETTING | | | |
|-----------------------|-------------------|------------------|-----|
| DIP SWITCH 12345 | ID# | DIP SWITCH 12345 | ID# |
| 11111 | 0 | 11110 | 16 |
| 01111 | 1 | 01110 | 17 |
| 10111 | 2 | 10110 | 18 |
| 00111 | 3 | 00110 | 19 |
| 11011 | 4 | 11010 | 20 |
| 01011 | 5 | 01010 | 21 |
| 10011 | 6 | 10010 | 22 |
| 00011 | 7 | 00010 | 23 |
| 11101 | 8 | 11100 | 24 |
| 01101 | 9 | 01100 | 25 |
| 10101 | 10 | 10100 | 26 |
| 00101 | 11 | 00100 | 27 |
| 11001 | 12 | 11000 | 28 |
| 01001 | 13 | 01000 | 29 |
| 10001 | 14 | 10000 | 30 |
| 00001 | 15 | 00000 | 31 |
| 78 | Relay Time | | |
| 00 | 15 second | | |
| 01 | 8 second | | |
| 10 | 12 second | | |
| 11 | 4 second | | |

GREEN LED: Night light indicator

RED: Invalid card


GREEN LED: Valid card

**USKP
Satellite Keypad**



USKP is 26-Bit Satellite Keypad. It is compatible with all Quantum Series and AeGIS 9000 Series and AeGIS NPB 9000 Series.

- Parts below are included with the USCR
- Missing Parts, contact Pach and Company 1-888-678-7224
- Defective system under manufacturer warranty, call 1-888-678-7224 for advance replacement
- [24 Months warranty](#) for complete system, installation labor does not include on the warranty.
- [6 Months warranty](#) for Printed Circuit Board (USCRPCB). Installation labor does not include on the warranty
- Manual download at www.pach-co.com




AC-AC = 12 VAC 40VA or 12VDC 2A
2-conductors, 16-18 gauge stranded wires

GDD = Earth Ground
1-conductor 14 gauge solid wire

D+ and **D-** = RS-485 Communication
2-conductors, 18 gauge shielded stranded wires

NC, COM, NO = Dry contact output for door strike, magnetic lock and gate operator
2-conductors, 18 gauge shielded stranded wires



OPTIONAL 26-BIT WIEGAND INPUT Jp4
500 feet maximum, 4 conductor 18 gauge stranded wires

- Pin 1 = 5 VDC
- Pin 2 = GND
- Pin 3 = D1 (Data 1)
- Pin 4 = D0 (Data 0)

MUST INSTALL SAME READER MANUFACTURER AS THE MAIN SYSTEM. CONNECTOR IS REQUIRED. CONTACT PACH AND COMPANY BEFORE INSTALLING OPTIONAL CARD READER.

